


	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	Eşkenar Çelik Köşebentler													



Kısa işaret	Ağırlık 2) G kg/m	Boyutlar				Ağırlık noktası arası			Eğme eksenleri için									Toplam yüzey alanı S ₂	Kesit alanı F ₃ ⁽¹⁾			
		X-X=YY		Z-Z			V-V															
		Ix=ly	Wx=Wy	Ix=ly	Iz	Iz	Iv	Wv	Iv													
L		a	e	r	r1	d	z1	v1	Ix=ly	Wx=Wy	Ix=ly	Iz	Iz	Iv	Wv	Iv	S ₂	F ₃ ⁽¹⁾				
		tolerans mm	tolerans mm	mm	mm	cm	cm	cm	cm ⁴	cm ³	cm	cm ⁴	cm	cm ⁴	cm ²	cm	S ₂ m ² /m	F ₃ ⁽¹⁾ cm ²				
90X90X	12	15.9			12				2.66			3.76	148	23.3	2.70	234	3.40	62.0	16.5	1.75	0.351	20.3
(13)	17.1			13				2.70			3.81	158	25.1	2.69	250	3.39	65.9	17.3	1.74	21.8		
(16)	20.7			16				2.81			3.97	186	30.1	2.66	294	3.34	79.1	19.9	1.73	26.4		
	6.5	9.99			6.5				2.67			3.77	120	16.3	3.07	190	3.86	49.7	13.2	1.98		12.7

